

*Fiddleback*  
Australian Hardwood





## Key Features

- › Extremely stable with excellent wear resistance
- › Spotted Gum Janka 11kN
- › Impact resistant, durable and stable
- › Blackbutt Janka 9.1 kN
- › Available in the resource efficient 0.6 mm Micro-veneer or the traditional 3.0 mm sawn cut wear layer. Both thicknesses provide excellent durability for residential use.

Spotted Gum

## Your Peace of Mind

Introducing our unique Fiddleback Engineered Australian Hardwood collection. It's available in the ever popular Spotted Gum and Blackbutt. Fiddleback wear layers combine the classic features of our Australian Eucalyptus bonded onto an ever reliable Plywood core. This creates an authentic Australia timber visual with the associated stability and durability of an engineered timber construction.



## Technical Specifications

### › Grade & Surface

Standard & Better. Will display natural characteristics such as knots, filled voids and gum vein. Slight checking in wear layer is acceptable.

### › Sizes

136 x 12/0.6 x 1860 mm: Pcs/Ctn: 7 pcs, Sqm/Box: 1.771.  
Ctns/Pallet: 77. Sqm/Pallet: 136.367m<sup>2</sup>, Weight/Pallet: 1250 Kg.

189 x 14/3.0 x 1860 mm: Pcs/Ctn: 6 pcs, Sqm/Box: 2.109.  
Ctns/Pallet: 55. Sqm/Pallet: 115.995 m<sup>2</sup>, Weight/Pallet: 1350 Kg.

Herringbone: 430 x 86 x 14/3.0mm: 0.666m<sup>2</sup>/Ctn.

### › Profile

Patented Click format, floating or direct fix installation.  
Micro Bevelled edges, 4 sides. T&G for Herringbone.

### › Structure

Genuine Australian Eucalyptus wear layers over a stable Plywood base.

### › Cartons

Contain nested combination shorts.

### › Coating

**PU Semi-gloss**, approx. 40% gloss level is smooth face.  
**PU Matte**, approx. 10% gloss level in both brushed and smooth face.

# COLOUR SIZES

## Variety of Wide Plank Finishes

Surface finishes include smooth or light wire brushed textures, pre-finished with European water based multi-coat PU lacquer. All sizes display Micro-bevel 4 sides to enhance the natural plank visual. The Fiddleback range is ideal for interior decors with a Click floating installation for fast and easy install.



## Blackbutt



### Brushed Matte, 0.6mm Click

Size: 1860x136x12/0.6mm  
Sq: 1.771  
Ctns/Pallet: 77



### Smooth Matte, 3mm Click

Size: 1860x189x14/3.0mm  
Sq: 2.109  
Ctns/Pallet: 55



### Smooth Semi-Gloss, 0.6mm Click

Size: 1860x136x12/0.6mm  
Sq: 1.771  
Ctns/Pallet: 77



### Rustic - Brushed Matte, 3mm TG

Size: 1860x189x14/3.0mm  
Sq: 2.109  
Ctns/Pallet: 55



### Herringbone - Brushed Matte, 3mm TG

Size: 430x86x14/3.0mm  
Sq: 0.666  
Ctns/Pallet: 99

## Spotted Gum



### Brushed Matte, 0.6mm Click

Size: 1860x136x12/0.6mm  
Sq: 1.771  
Ctns/Pallet: 77




### Smooth Matte, 3mm Click

Size: 1860x189x14/3.0mm  
Sq: 2.109  
Ctns/Pallet: 55




### Smooth Semi-Gloss, 0.6mm Click

Size: 1860x136x12/0.6mm  
Sq: 1.771  
Ctns/Pallet: 77



### Rustic - Brushed Matte, 3mm TG

Size: 1860x189x14/3.0mm  
Sq: 2.109  
Ctns/Pallet: 55



### Herringbone - Brushed Matte, 3mm TG

Size: 430x86x14/3.0mm  
Sq: 0.666  
Ctns/Pallet: 99



---

**Preference Floors  
Adelaide**  
t +61 8 8262 2774  
sa@preferencefloors.com.au

**Preference Floors  
Perth**  
t +61 8 9471 7785  
wa@preferencefloors.com.au

**Preference Floors  
Brisbane**  
t +61 7 3875 1688  
qld@preferencefloors.com.au

**Preference Floors  
Sydney**  
t +61 2 9738 1188  
sales@preferencefloors.com.au

**Preference Floors  
Melbourne**  
t +61 3 9794 5111  
vic@preferencefloors.com.au

[www.preferencefloors.com.au](http://www.preferencefloors.com.au)

Front and back cover: Spotted Gum